

Wyniki obliczeń opadu pyłu (wariant odrzucony)

X m	Y m	Opad pyłu g/m ² /rok	Opad+tłó g/m ² /rok	X m	Y m	Opad pyłu g/m ² /rok	Opad+tłó g/m ² /rok
0	0	0,091	20,091	320	240	7,446	27,446
10	0	0,095	20,095	330	240	6,065	26,065
20	0	0,099	20,099	340	240	5,001	25,001
30	0	0,103	20,103	350	240	4,152	24,152
40	0	0,108	20,108	360	240	3,506	23,506
50	0	0,112	20,112	370	240	2,985	22,985
60	0	0,117	20,117	380	240	3,626	23,626
70	0	0,122	20,122	390	240	3,161	23,161
80	0	0,126	20,126	400	240	2,778	22,778
90	0	0,131	20,131	0	250	1,044	21,044
100	0	0,135	20,135	10	250	1,160	21,160
110	0	0,140	20,140	20	250	1,292	21,292
120	0	0,144	20,144	30	250	1,437	21,437
130	0	0,149	20,149	40	250	1,619	21,619
140	0	0,152	20,152	50	250	1,834	21,834
150	0	0,154	20,154	60	250	2,076	22,076
160	0	0,140	20,140	70	250	2,381	22,381
170	0	0,143	20,143	80	250	2,753	22,753
180	0	0,145	20,145	90	250	3,188	23,188
190	0	0,147	20,147	100	250	3,753	23,753
200	0	0,149	20,149	110	250	4,428	24,428
210	0	0,150	20,150	120	250	5,286	25,286
220	0	0,151	20,151	130	250	3,707	23,707
230	0	0,151	20,151	140	250	4,565	24,565
240	0	0,151	20,151	150	250	5,740	25,740
250	0	0,151	20,151	160	250	7,322	27,322
260	0	0,149	20,149	170	250	9,488	29,488
270	0	0,148	20,148	180	250	12,484	32,484
280	0	0,146	20,146	190	250	16,474	36,474
290	0	0,144	20,144	270	250	35,853	55,853
300	0	0,141	20,141	280	250	24,756	44,756
310	0	0,258	20,258	290	250	18,073	38,073
320	0	0,260	20,260	300	250	13,625	33,625
330	0	0,260	20,260	310	250	10,549	30,549
340	0	0,259	20,259	320	250	8,317	28,317
350	0	0,264	20,264	330	250	6,653	26,653
360	0	0,264	20,264	340	250	7,713	27,713
370	0	0,256	20,256	350	250	6,356	26,356
380	0	0,247	20,247	360	250	5,298	25,298
390	0	0,238	20,238	370	250	4,490	24,490
400	0	0,230	20,230	380	250	3,862	23,862
0	10	0,097	20,097	390	250	3,360	23,360
10	10	0,101	20,101	400	250	2,904	22,904
20	10	0,105	20,105	0	260	1,076	21,076
30	10	0,110	20,110	10	260	1,187	21,187
40	10	0,115	20,115	20	260	1,325	21,325
50	10	0,120	20,120	30	260	1,487	21,487
60	10	0,125	20,125	40	260	1,666	21,666
70	10	0,130	20,130	50	260	1,890	21,890
80	10	0,136	20,136	60	260	2,157	22,157
90	10	0,141	20,141	70	260	2,465	22,465
100	10	0,146	20,146	80	260	2,858	22,858
110	10	0,151	20,151	90	260	3,344	23,344
120	10	0,156	20,156	100	260	3,925	23,925
130	10	0,161	20,161	110	260	4,685	24,685
140	10	0,166	20,166	120	260	5,594	25,594
150	10	0,168	20,168	130	260	6,821	26,821
160	10	0,153	20,153	140	260	8,497	28,497
170	10	0,157	20,157	150	260	10,797	30,797
180	10	0,159	20,159	160	260	14,021	34,021
190	10	0,161	20,161	170	260	10,748	30,748
200	10	0,163	20,163	180	260	14,473	34,473
210	10	0,165	20,165	190	260	19,764	39,764
220	10	0,166	20,166	270	260	45,017	65,017
230	10	0,166	20,166	280	260	29,819	49,819
240	10	0,166	20,166	290	260	21,011	41,011
250	10	0,165	20,165	300	260	22,113	42,113
260	10	0,164	20,164	310	260	16,748	36,748
270	10	0,162	20,162	320	260	12,924	32,924
280	10	0,160	20,160	330	260	10,182	30,182
290	10	0,157	20,157	340	260	8,232	28,232
300	10	0,154	20,154	350	260	6,745	26,745
310	10	0,285	20,285	360	260	5,600	25,600

X m	Y m	Opad pyłu g/m ² /rok	Opad+tło g/m ² /rok
320	10	0,286	20,286
330	10	0,283	20,283
340	10	0,283	20,283
350	10	0,286	20,286
360	10	0,285	20,285
370	10	0,276	20,276
380	10	0,266	20,266
390	10	0,256	20,256
400	10	0,246	20,246
0	20	0,103	20,103
10	20	0,107	20,107
20	20	0,112	20,112
30	20	0,117	20,117
40	20	0,122	20,122
50	20	0,128	20,128
60	20	0,134	20,134
70	20	0,140	20,140
80	20	0,146	20,146
90	20	0,152	20,152
100	20	0,158	20,158
110	20	0,164	20,164
120	20	0,170	20,170
130	20	0,175	20,175
140	20	0,181	20,181
150	20	0,185	20,185
160	20	0,188	20,188
170	20	0,172	20,172
180	20	0,175	20,175
190	20	0,177	20,177
200	20	0,179	20,179
210	20	0,181	20,181
220	20	0,182	20,182
230	20	0,183	20,183
240	20	0,183	20,183
250	20	0,182	20,182
260	20	0,180	20,180
270	20	0,178	20,178
280	20	0,176	20,176
290	20	0,173	20,173
300	20	0,314	20,314
310	20	0,315	20,315
320	20	0,316	20,316
330	20	0,314	20,314
340	20	0,319	20,319
350	20	0,319	20,319
360	20	0,309	20,309
370	20	0,298	20,298
380	20	0,287	20,287
390	20	0,275	20,275
400	20	0,264	20,264
0	30	0,109	20,109
10	30	0,114	20,114
20	30	0,120	20,120
30	30	0,125	20,125
40	30	0,131	20,131
50	30	0,137	20,137
60	30	0,143	20,143
70	30	0,150	20,150
80	30	0,157	20,157
90	30	0,164	20,164
100	30	0,171	20,171
110	30	0,178	20,178
120	30	0,185	20,185
130	30	0,191	20,191
140	30	0,198	20,198
150	30	0,203	20,203
160	30	0,206	20,206
170	30	0,189	20,189
180	30	0,193	20,193
190	30	0,195	20,195
200	30	0,198	20,198
210	30	0,200	20,200
220	30	0,202	20,202
230	30	0,202	20,202
240	30	0,202	20,202
250	30	0,201	20,201
260	30	0,199	20,199
270	30	0,197	20,197
280	30	0,194	20,194

X m	Y m	Opad pyłu g/m ² /rok	Opad+tło g/m ² /rok
370	260	4,764	24,764
380	260	4,092	24,092
390	260	3,498	23,498
400	260	3,026	23,026
0	270	1,098	21,098
10	270	1,220	21,220
20	270	1,361	21,361
30	270	1,518	21,518
40	270	1,714	21,714
50	270	1,933	21,933
60	270	2,211	22,211
70	270	2,547	22,547
80	270	2,939	22,939
90	270	3,442	23,442
100	270	4,051	24,051
110	270	4,854	24,854
120	270	5,895	25,895
130	270	7,180	27,180
140	270	8,953	28,953
150	270	11,447	31,447
160	270	14,892	34,892
170	270	20,018	40,018
180	270	27,497	47,497
190	270	38,222	58,222
200	270	51,439	71,439
270	270	72,826	92,826
280	270	46,991	66,991
290	270	33,009	53,009
300	270	23,911	43,911
310	270	17,856	37,856
320	270	13,712	33,712
330	270	10,808	30,808
340	270	8,673	28,673
350	270	7,071	27,071
360	270	5,919	25,919
370	270	5,008	25,008
380	270	4,236	24,236
390	270	3,626	23,626
400	270	3,119	23,119
0	280	1,121	21,121
10	280	1,238	21,238
20	280	1,383	21,383
30	280	1,554	21,554
40	280	1,742	21,742
50	280	1,980	21,980
60	280	2,248	22,248
70	280	2,592	22,592
80	280	3,009	23,009
90	280	3,508	23,508
100	280	4,159	24,159
110	280	4,958	24,958
120	280	6,028	26,028
130	280	7,435	27,435
140	280	9,235	29,235
150	280	11,777	31,777
160	280	15,440	35,440
170	280	20,663	40,663
180	280	28,544	48,544
190	280	39,811	59,811
200	280	53,052	73,052
280	280	49,871	69,871
290	280	34,697	54,697
300	280	24,827	44,827
310	280	18,477	38,477
320	280	14,207	34,207
330	280	11,168	31,168
340	280	8,956	28,956
350	280	7,351	27,351
360	280	6,168	26,168
370	280	5,146	25,146
380	280	4,340	24,340
390	280	3,710	23,710
400	280	3,187	23,187
0	290	1,134	21,134
10	290	1,252	21,252
20	290	1,399	21,399
30	290	1,569	21,569
40	290	1,772	21,772
50	290	1,999	21,999

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
290	30	0,190	20,190
300	30	0,349	20,349
310	30	0,349	20,349
320	30	0,347	20,347
330	30	0,346	20,346
340	30	0,349	20,349
350	30	0,347	20,347
360	30	0,336	20,336
370	30	0,323	20,323
380	30	0,309	20,309
390	30	0,296	20,296
400	30	0,283	20,283
0	40	0,116	20,116
10	40	0,121	20,121
20	40	0,127	20,127
30	40	0,134	20,134
40	40	0,140	20,140
50	40	0,147	20,147
60	40	0,154	20,154
70	40	0,162	20,162
80	40	0,169	20,169
90	40	0,177	20,177
100	40	0,185	20,185
110	40	0,193	20,193
120	40	0,201	20,201
130	40	0,209	20,209
140	40	0,216	20,216
150	40	0,223	20,223
160	40	0,227	20,227
170	40	0,208	20,208
180	40	0,213	20,213
190	40	0,217	20,217
200	40	0,219	20,219
210	40	0,222	20,222
220	40	0,224	20,224
230	40	0,224	20,224
240	40	0,224	20,224
250	40	0,223	20,223
260	40	0,221	20,221
270	40	0,218	20,218
280	40	0,214	20,214
290	40	0,210	20,210
300	40	0,390	20,390
310	40	0,386	20,386
320	40	0,384	20,384
330	40	0,381	20,381
340	40	0,382	20,382
350	40	0,379	20,379
360	40	0,365	20,365
370	40	0,350	20,350
380	40	0,334	20,334
390	40	0,319	20,319
400	40	0,305	20,305
0	50	0,210	20,210
10	50	0,129	20,129
20	50	0,136	20,136
30	50	0,143	20,143
40	50	0,150	20,150
50	50	0,157	20,157
60	50	0,165	20,165
70	50	0,174	20,174
80	50	0,183	20,183
90	50	0,192	20,192
100	50	0,201	20,201
110	50	0,210	20,210
120	50	0,220	20,220
130	50	0,229	20,229
140	50	0,238	20,238
150	50	0,246	20,246
160	50	0,252	20,252
170	50	0,231	20,231
180	50	0,236	20,236
190	50	0,241	20,241
200	50	0,244	20,244
210	50	0,247	20,247
220	50	0,249	20,249
230	50	0,250	20,250
240	50	0,250	20,250
250	50	0,249	20,249

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
60	290	2,286	22,286
70	290	2,634	22,634
80	290	3,039	23,039
90	290	3,563	23,563
100	290	4,191	24,191
110	290	5,021	25,021
120	290	6,085	26,085
130	290	7,456	27,456
140	290	9,344	29,344
150	290	11,808	31,808
160	290	15,324	35,324
170	290	20,460	40,460
180	290	27,795	47,795
190	290	30,140	50,140
200	290	39,678	59,678
280	290	49,861	69,861
290	290	34,596	54,596
300	290	24,876	44,876
310	290	18,660	38,660
320	290	14,374	34,374
330	290	11,343	31,343
340	290	9,163	29,163
350	290	7,566	27,566
360	290	6,251	26,251
370	290	5,223	25,223
380	290	4,421	24,421
390	290	3,772	23,772
400	290	3,251	23,251
0	300	1,146	21,146
10	300	1,267	21,267
20	300	1,414	21,414
30	300	1,578	21,578
40	300	1,781	21,781
50	300	2,008	22,008
60	300	2,294	22,294
70	300	2,637	22,637
80	300	3,056	23,056
90	300	3,553	23,553
100	300	4,199	24,199
110	300	4,989	24,989
120	300	6,024	26,024
130	300	7,381	27,381
140	300	9,143	29,143
150	300	9,429	29,429
160	300	11,960	31,960
170	300	15,583	35,583
180	300	20,741	40,741
190	300	27,358	47,358
200	300	35,743	55,743
280	300	29,358	49,358
290	300	20,387	40,387
300	300	14,745	34,745
310	300	11,203	31,203
320	300	14,309	34,309
330	300	11,429	31,429
340	300	9,318	29,318
350	300	7,588	27,588
360	300	6,280	26,280
370	300	5,263	25,263
380	300	4,448	24,448
390	300	3,804	23,804
400	300	3,274	23,274
0	310	1,147	21,147
10	310	1,274	21,274
20	310	1,422	21,422
30	310	1,585	21,585
40	310	1,785	21,785
50	310	2,011	22,011
60	310	2,294	22,294
70	310	2,621	22,621
80	310	3,030	23,030
90	310	3,514	23,514
100	310	4,138	24,138
110	310	4,918	24,918
120	310	4,860	24,860
130	310	5,880	25,880
140	310	7,255	27,255
150	310	8,963	28,963
160	310	11,358	31,358

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
260	50	0,246	20,246
270	50	0,242	20,242
280	50	0,238	20,238
290	50	0,237	20,237
300	50	0,432	20,432
310	50	0,430	20,430
320	50	0,427	20,427
330	50	0,420	20,420
340	50	0,418	20,418
350	50	0,414	20,414
360	50	0,397	20,397
370	50	0,379	20,379
380	50	0,362	20,362
390	50	0,345	20,345
400	50	0,328	20,328
0	60	0,222	20,222
10	60	0,235	20,235
20	60	0,145	20,145
30	60	0,153	20,153
40	60	0,161	20,161
50	60	0,170	20,170
60	60	0,178	20,178
70	60	0,188	20,188
80	60	0,198	20,198
90	60	0,208	20,208
100	60	0,219	20,219
110	60	0,230	20,230
120	60	0,241	20,241
130	60	0,251	20,251
140	60	0,262	20,262
150	60	0,272	20,272
160	60	0,280	20,280
170	60	0,287	20,287
180	60	0,263	20,263
190	60	0,269	20,269
200	60	0,273	20,273
210	60	0,277	20,277
220	60	0,279	20,279
230	60	0,280	20,280
240	60	0,280	20,280
250	60	0,278	20,278
260	60	0,275	20,275
270	60	0,271	20,271
280	60	0,265	20,265
290	60	0,486	20,486
300	60	0,485	20,485
310	60	0,482	20,482
320	60	0,475	20,475
330	60	0,477	20,477
340	60	0,472	20,472
350	60	0,453	20,453
360	60	0,433	20,433
370	60	0,412	20,412
380	60	0,392	20,392
390	60	0,372	20,372
400	60	0,353	20,353
0	70	0,240	20,240
10	70	0,249	20,249
20	70	0,264	20,264
30	70	0,163	20,163
40	70	0,173	20,173
50	70	0,182	20,182
60	70	0,193	20,193
70	70	0,203	20,203
80	70	0,214	20,214
90	70	0,226	20,226
100	70	0,239	20,239
110	70	0,251	20,251
120	70	0,264	20,264
130	70	0,277	20,277
140	70	0,289	20,289
150	70	0,302	20,302
160	70	0,313	20,313
170	70	0,321	20,321
180	70	0,295	20,295
190	70	0,302	20,302
200	70	0,307	20,307
210	70	0,311	20,311
220	70	0,314	20,314

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
170	310	14,496	34,496
180	310	18,444	38,444
190	310	23,967	43,967
200	310	40,652	60,652
280	310	27,722	47,722
290	310	19,616	39,616
300	310	14,743	34,743
310	310	11,292	31,292
320	310	8,932	28,932
330	310	7,332	27,332
340	310	5,934	25,934
350	310	4,852	24,852
360	310	6,271	26,271
370	310	5,258	25,258
380	310	4,443	24,443
390	310	3,794	23,794
400	310	3,282	23,282
0	320	1,183	21,183
10	320	1,275	21,275
20	320	1,413	21,413
30	320	1,582	21,582
40	320	1,769	21,769
50	320	2,001	22,001
60	320	2,266	22,266
70	320	2,596	22,596
80	320	2,463	22,463
90	320	2,865	22,865
100	320	3,360	23,360
110	320	3,927	23,927
120	320	4,664	24,664
130	320	5,625	25,625
140	320	6,824	26,824
150	320	8,434	28,434
160	320	10,445	30,445
170	320	13,175	33,175
180	320	16,452	36,452
190	320	26,650	46,650
200	320	33,321	53,321
210	320	39,143	59,143
280	320	31,242	51,242
290	320	20,307	40,307
300	320	14,538	34,538
310	320	11,263	31,263
320	320	9,106	29,106
330	320	7,269	27,269
340	320	5,902	25,902
350	320	4,901	24,901
360	320	4,086	24,086
370	320	3,438	23,438
380	320	2,926	22,926
390	320	3,782	23,782
400	320	3,263	23,263
0	330	1,205	21,205
10	330	1,333	21,333
20	330	1,438	21,438
30	330	1,606	21,606
40	330	1,508	21,508
50	330	1,650	21,650
60	330	1,862	21,862
70	330	2,127	22,127
80	330	2,416	22,416
90	330	2,796	22,796
100	330	3,243	23,243
110	330	3,795	23,795
120	330	4,471	24,471
130	330	5,358	25,358
140	330	6,396	26,396
150	330	7,806	27,806
160	330	9,516	29,516
170	330	11,696	31,696
180	330	18,384	38,384
190	330	22,666	42,666
200	330	27,008	47,008
210	330	31,577	51,577
290	330	20,975	40,975
300	330	15,061	35,061
310	330	11,534	31,534
320	330	8,981	28,981
330	330	7,225	27,225

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
230	70	0,315	20,315
240	70	0,315	20,315
250	70	0,313	20,313
260	70	0,309	20,309
270	70	0,304	20,304
280	70	0,297	20,297
290	70	0,550	20,550
300	70	0,546	20,546
310	70	0,541	20,541
320	70	0,531	20,531
330	70	0,530	20,530
340	70	0,520	20,520
350	70	0,497	20,497
360	70	0,473	20,473
370	70	0,449	20,449
380	70	0,426	20,426
390	70	0,403	20,403
400	70	0,381	20,381
0	80	0,256	20,256
10	80	0,270	20,270
20	80	0,281	20,281
30	80	0,299	20,299
40	80	0,185	20,185
50	80	0,196	20,196
60	80	0,208	20,208
70	80	0,220	20,220
80	80	0,232	20,232
90	80	0,246	20,246
100	80	0,261	20,261
110	80	0,276	20,276
120	80	0,291	20,291
130	80	0,306	20,306
140	80	0,321	20,321
150	80	0,335	20,335
160	80	0,349	20,349
170	80	0,359	20,359
180	80	0,331	20,331
190	80	0,340	20,340
200	80	0,347	20,347
210	80	0,352	20,352
220	80	0,355	20,355
230	80	0,357	20,357
240	80	0,357	20,357
250	80	0,354	20,354
260	80	0,349	20,349
270	80	0,342	20,342
280	80	0,334	20,334
290	80	0,624	20,624
300	80	0,618	20,618
310	80	0,605	20,605
320	80	0,595	20,595
330	80	0,587	20,587
340	80	0,574	20,574
350	80	0,547	20,547
360	80	0,518	20,518
370	80	0,490	20,490
380	80	0,463	20,463
390	80	0,436	20,436
400	80	0,411	20,411
0	90	0,276	20,276
10	90	0,289	20,289
20	90	0,305	20,305
30	90	0,319	20,319
40	90	0,341	20,341
50	90	0,211	20,211
60	90	0,225	20,225
70	90	0,239	20,239
80	90	0,254	20,254
90	90	0,268	20,268
100	90	0,285	20,285
110	90	0,303	20,303
120	90	0,321	20,321
130	90	0,339	20,339
140	90	0,357	20,357
150	90	0,375	20,375
160	90	0,391	20,391
170	90	0,406	20,406
180	90	0,419	20,419
190	90	0,385	20,385

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
340	330	5,824	25,824
350	330	4,816	24,816
360	330	4,039	24,039
370	330	3,435	23,435
380	330	2,907	22,907
390	330	2,533	22,533
400	330	2,180	22,180
0	340	1,002	21,002
10	340	1,106	21,106
20	340	1,228	21,228
30	340	1,369	21,369
40	340	1,524	21,524
50	340	1,714	21,714
60	340	1,872	21,872
70	340	2,119	22,119
80	340	2,351	22,351
90	340	2,694	22,694
100	340	3,111	23,111
110	340	3,616	23,616
120	340	4,259	24,259
130	340	5,030	25,030
140	340	5,982	25,982
150	340	7,217	27,217
160	340	8,634	28,634
170	340	13,101	33,101
180	340	15,916	35,916
190	340	19,255	39,255
200	340	22,662	42,662
210	340	26,039	46,039
290	340	23,753	43,753
300	340	15,302	35,302
310	340	11,629	31,629
320	340	8,871	28,871
330	340	7,090	27,090
340	340	5,776	25,776
350	340	4,807	24,807
360	340	3,983	23,983
370	340	3,378	23,378
380	340	2,879	22,879
390	340	2,460	22,460
400	340	2,144	22,144
0	350	0,979	20,979
10	350	1,080	21,080
20	350	1,197	21,197
30	350	1,325	21,325
40	350	1,481	21,481
50	350	1,661	21,661
60	350	1,864	21,864
70	350	2,115	22,115
80	350	2,411	22,411
90	350	2,767	22,767
100	350	3,063	23,063
110	350	3,561	23,561
120	350	4,039	24,039
130	350	4,699	24,699
140	350	5,577	25,577
150	350	6,557	26,557
160	350	9,660	29,660
170	350	11,665	31,665
180	350	13,894	33,894
190	350	16,730	36,730
200	350	19,768	39,768
210	350	22,458	42,458
290	350	23,805	43,805
300	350	15,379	35,379
310	350	11,007	31,007
320	350	8,657	28,657
330	350	6,895	26,895
340	350	5,587	25,587
350	350	4,665	24,665
360	350	3,869	23,869
370	350	3,311	23,311
380	350	2,807	22,807
390	350	2,586	22,586
400	350	2,255	22,255
0	360	0,954	20,954
10	360	1,051	21,051
20	360	1,163	21,163
30	360	1,284	21,284

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
200	90	0,394	20,394
210	90	0,400	20,400
220	90	0,405	20,405
230	90	0,407	20,407
240	90	0,406	20,406
250	90	0,403	20,403
260	90	0,397	20,397
270	90	0,388	20,388
280	90	0,386	20,386
290	90	0,712	20,712
300	90	0,698	20,698
310	90	0,684	20,684
320	90	0,682	20,682
330	90	0,652	20,652
340	90	0,635	20,635
350	90	0,602	20,602
360	90	0,568	20,568
370	90	0,535	20,535
380	90	0,503	20,503
390	90	0,473	20,473
400	90	0,444	20,444
0	100	0,295	20,295
10	100	0,311	20,311
20	100	0,327	20,327
30	100	0,347	20,347
40	100	0,365	20,365
50	100	0,391	20,391
60	100	0,243	20,243
70	100	0,259	20,259
80	100	0,277	20,277
90	100	0,295	20,295
100	100	0,313	20,313
110	100	0,333	20,333
120	100	0,355	20,355
130	100	0,376	20,376
140	100	0,398	20,398
150	100	0,420	20,420
160	100	0,441	20,441
170	100	0,460	20,460
180	100	0,476	20,476
190	100	0,439	20,439
200	100	0,451	20,451
210	100	0,458	20,458
220	100	0,464	20,464
230	100	0,466	20,466
240	100	0,465	20,465
250	100	0,461	20,461
260	100	0,453	20,453
270	100	0,443	20,443
280	100	0,826	20,826
290	100	0,809	20,809
300	100	0,795	20,795
310	100	0,775	20,775
320	100	0,767	20,767
330	100	0,744	20,744
340	100	0,705	20,705
350	100	0,664	20,664
360	100	0,624	20,624
370	100	0,585	20,585
380	100	0,548	20,548
390	100	0,513	20,513
400	100	0,480	20,480
0	110	0,313	20,313
10	110	0,334	20,334
20	110	0,354	20,354
30	110	0,373	20,373
40	110	0,398	20,398
50	110	0,420	20,420
60	110	0,451	20,451
70	110	0,282	20,282
80	110	0,302	20,302
90	110	0,323	20,323
100	110	0,346	20,346
110	110	0,368	20,368
120	110	0,393	20,393
130	110	0,419	20,419
140	110	0,446	20,446
150	110	0,473	20,473
160	110	0,499	20,499

X m	Y m	Opad pytu g/m ² /rok	Opad+tto g/m ² /rok
40	360	1,433	21,433
50	360	1,603	21,603
60	360	1,794	21,794
70	360	2,029	22,029
80	360	2,306	22,306
90	360	2,621	22,621
100	360	3,014	23,014
110	360	3,462	23,462
120	360	4,029	24,029
130	360	4,719	24,719
140	360	5,294	25,294
150	360	7,564	27,564
160	360	8,733	28,733
170	360	10,296	30,296
180	360	12,329	32,329
190	360	14,626	34,626
200	360	17,462	37,462
210	360	18,165	38,165
290	360	23,887	43,887
300	360	14,471	34,471
310	360	10,918	30,918
320	360	8,124	28,124
330	360	6,466	26,466
340	360	5,349	25,349
350	360	4,743	24,743
360	360	4,024	24,024
370	360	3,382	23,382
380	360	2,885	22,885
390	360	2,502	22,502
400	360	2,160	22,160
0	370	0,927	20,927
10	370	1,019	21,019
20	370	1,119	21,119
30	370	1,240	21,240
40	370	1,380	21,380
50	370	1,533	21,533
60	370	1,720	21,720
70	370	1,937	21,937
80	370	2,181	22,181
90	370	2,483	22,483
100	370	2,825	22,825
110	370	3,251	23,251
120	370	3,758	23,758
130	370	4,348	24,348
140	370	6,058	26,058
150	370	7,133	27,133
160	370	8,457	28,457
170	370	9,598	29,598
180	370	11,386	31,386
190	370	13,691	33,691
200	370	15,554	35,554
210	370	16,952	36,952
220	370	19,361	39,361
290	370	17,364	37,364
300	370	12,357	32,357
310	370	9,819	29,819
320	370	8,381	28,381
330	370	6,620	26,620
340	370	5,360	25,360
350	370	4,514	24,514
360	370	3,760	23,760
370	370	3,168	23,168
380	370	2,748	22,748
390	370	2,358	22,358
400	370	2,078	22,078
0	380	0,898	20,898
10	380	0,980	20,980
20	380	1,081	21,081
30	380	1,194	21,194
40	380	1,317	21,317
50	380	1,467	21,467
60	380	1,641	21,641
70	380	1,833	21,833
80	380	2,065	22,065
90	380	2,341	22,341
100	380	2,651	22,651
110	380	3,031	23,031
120	380	3,489	23,489
130	380	4,776	24,776

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
170	110	0,524	20,524
180	110	0,544	20,544
190	110	0,503	20,503
200	110	0,518	20,518
210	110	0,529	20,529
220	110	0,535	20,535
230	110	0,539	20,539
240	110	0,537	20,537
250	110	0,532	20,532
260	110	0,522	20,522
270	110	0,508	20,508
280	110	0,948	20,948
290	110	0,934	20,934
300	110	0,912	20,912
310	110	0,881	20,881
320	110	0,863	20,863
330	110	0,833	20,833
340	110	0,785	20,785
350	110	0,735	20,735
360	110	0,687	20,687
370	110	0,641	20,641
380	110	0,598	20,598
390	110	0,557	20,557
400	110	0,733	20,733
0	120	0,334	20,334
10	120	0,355	20,355
20	120	0,380	20,380
30	120	0,404	20,404
40	120	0,429	20,429
50	120	0,459	20,459
60	120	0,487	20,487
70	120	0,526	20,526
80	120	0,329	20,329
90	120	0,354	20,354
100	120	0,381	20,381
110	120	0,409	20,409
120	120	0,437	20,437
130	120	0,469	20,469
140	120	0,502	20,502
150	120	0,535	20,535
160	120	0,567	20,567
170	120	0,599	20,599
180	120	0,626	20,626
190	120	0,581	20,581
200	120	0,601	20,601
210	120	0,615	20,615
220	120	0,623	20,623
230	120	0,627	20,627
240	120	0,626	20,626
250	120	0,618	20,618
260	120	0,605	20,605
270	120	0,588	20,588
280	120	1,105	21,105
290	120	1,081	21,081
300	120	1,042	21,042
310	120	1,007	21,007
320	120	0,973	20,973
330	120	0,934	20,934
340	120	0,875	20,875
350	120	0,815	20,815
360	120	0,758	20,758
370	120	0,704	20,704
380	120	0,653	20,653
390	120	0,858	20,858
400	120	0,799	20,799
0	130	0,356	20,356
10	130	0,379	20,379
20	130	0,405	20,405
30	130	0,435	20,435
40	130	0,466	20,466
50	130	0,496	20,496
60	130	0,534	20,534
70	130	0,570	20,570
80	130	0,619	20,619
90	130	0,389	20,389
100	130	0,420	20,420
110	130	0,454	20,454
120	130	0,490	20,490
130	130	0,526	20,526

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
140	380	5,531	25,531
150	380	6,479	26,479
160	380	7,575	27,575
170	380	8,991	28,991
180	380	10,670	30,670
190	380	13,030	33,030
200	380	16,072	36,072
210	380	16,548	36,548
220	380	20,867	40,867
300	380	12,516	32,516
310	380	9,697	29,697
320	380	7,604	27,604
330	380	6,215	26,215
340	380	4,950	24,950
350	380	4,205	24,205
360	380	3,518	23,518
370	380	2,999	22,999
380	380	2,558	22,558
390	380	2,246	22,246
400	380	1,947	21,947
0	390	0,862	20,862
10	390	0,945	20,945
20	390	1,039	21,039
30	390	1,139	21,139
40	390	1,261	21,261
50	390	1,399	21,399
60	390	1,550	21,550
70	390	1,733	21,733
80	390	1,947	21,947
90	390	2,196	22,196
100	390	2,474	22,474
110	390	2,818	22,818
120	390	3,785	23,785
130	390	4,354	24,354
140	390	5,008	25,008
150	390	5,818	25,818
160	390	6,816	26,816
170	390	7,981	27,981
180	390	9,589	29,589
190	390	11,633	31,633
200	390	14,185	34,185
210	390	17,205	37,205
220	390	22,304	42,304
300	390	11,426	31,426
310	390	8,726	28,726
320	390	6,882	26,882
330	390	5,664	25,664
340	390	4,649	24,649
350	390	3,838	23,838
360	390	3,226	23,226
370	390	2,788	22,788
380	390	2,428	22,428
390	390	2,109	22,109
400	390	1,845	21,845
0	400	0,831	20,831
10	400	0,908	20,908
20	400	0,990	20,990
30	400	1,089	21,089
40	400	1,200	21,200
50	400	1,328	21,328
60	400	1,475	21,475
70	400	1,635	21,635
80	400	1,818	21,818
90	400	2,040	22,040
100	400	2,302	22,302
110	400	3,051	23,051
120	400	3,476	23,476
130	400	3,949	23,949
140	400	4,538	24,538
150	400	5,247	25,247
160	400	6,061	26,061
170	400	7,153	27,153
180	400	8,410	28,410
190	400	10,058	30,058
200	400	10,532	30,532
210	400	12,410	32,410
220	400	15,861	35,861
300	400	7,887	27,887
310	400	7,625	27,625

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
140	130	0,566	20,566
150	130	0,607	20,607
160	130	0,649	20,649
170	130	0,689	20,689
180	130	0,725	20,725
190	130	0,758	20,758
200	130	0,702	20,702
210	130	0,722	20,722
220	130	0,732	20,732
230	130	0,737	20,737
240	130	0,735	20,735
250	130	0,725	20,725
260	130	0,708	20,708
270	130	0,699	20,699
280	130	1,295	21,295
290	130	1,261	21,261
300	130	1,212	21,212
310	130	1,175	21,175
320	130	1,104	21,104
330	130	1,051	21,051
340	130	0,978	20,978
350	130	0,905	20,905
360	130	0,837	20,837
370	130	0,773	20,773
380	130	1,015	21,015
390	130	0,940	20,940
400	130	0,870	20,870
0	140	0,387	20,387
10	140	0,404	20,404
20	140	0,433	20,433
30	140	0,465	20,465
40	140	0,503	20,503
50	140	0,540	20,540
60	140	0,580	20,580
70	140	0,628	20,628
80	140	0,674	20,674
90	140	0,735	20,735
100	140	0,464	20,464
110	140	0,505	20,505
120	140	0,549	20,549
130	140	0,595	20,595
140	140	0,641	20,641
150	140	0,693	20,693
160	140	0,745	20,745
170	140	0,797	20,797
180	140	0,846	20,846
190	140	0,889	20,889
200	140	0,827	20,827
210	140	0,854	20,854
220	140	0,869	20,869
230	140	0,876	20,876
240	140	0,873	20,873
250	140	0,859	20,859
260	140	0,836	20,836
270	140	1,573	21,573
280	140	1,518	21,518
290	140	1,468	21,468
300	140	1,409	21,409
310	140	1,351	21,351
320	140	1,281	21,281
330	140	1,187	21,187
340	140	1,095	21,095
350	140	1,007	21,007
360	140	0,925	20,925
370	140	1,213	21,213
380	140	1,116	21,116
390	140	1,028	21,028
400	140	0,945	20,945
0	150	0,416	20,416
10	150	0,440	20,440
20	150	0,463	20,463
30	150	0,499	20,499
40	150	0,538	20,538
50	150	0,585	20,585
60	150	0,633	20,633
70	150	0,684	20,684
80	150	0,745	20,745
90	150	0,805	20,805
100	150	0,885	20,885

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
320	400	6,222	26,222
330	400	5,057	25,057
340	400	4,269	24,269
350	400	3,573	23,573
360	400	3,001	23,001
370	400	2,559	22,559
380	400	2,242	22,242
390	400	1,943	21,943
400	400	1,724	21,724
0	410	0,797	20,797
10	410	0,869	20,869
20	410	0,950	20,950
30	410	1,036	21,036
40	410	1,140	21,140
50	410	1,249	21,249
60	410	1,383	21,383
70	410	1,524	21,524
80	410	1,698	21,698
90	410	1,884	21,884
100	410	2,493	22,493
110	410	2,813	22,813
120	410	3,165	23,165
130	410	3,597	23,597
140	410	4,079	24,079
150	410	4,680	24,680
160	410	5,435	25,435
170	410	5,727	25,727
180	410	6,597	26,597
190	410	7,806	27,806
200	410	8,486	28,486
210	410	10,468	30,468
220	410	14,742	34,742
300	410	5,675	25,675
310	410	4,639	24,639
320	410	4,563	24,563
330	410	3,780	23,780
340	410	3,776	23,776
350	410	3,259	23,259
360	410	2,776	22,776
370	410	2,316	22,316
380	410	2,046	22,046
390	410	1,781	21,781
400	410	1,591	21,591
0	420	0,763	20,763
10	420	0,824	20,824
20	420	0,900	20,900
30	420	0,977	20,977
40	420	1,072	21,072
50	420	1,177	21,177
60	420	1,290	21,290
70	420	1,427	21,427
80	420	1,573	21,573
90	420	2,062	22,062
100	420	2,307	22,307
110	420	2,571	22,571
120	420	2,893	22,893
130	420	3,031	23,031
140	420	3,420	23,420
150	420	3,896	23,896
160	420	4,428	24,428
170	420	5,021	25,021
180	420	5,816	25,816
190	420	6,732	26,732
200	420	7,243	27,243
210	420	9,643	29,643
220	420	12,236	32,236
230	420	13,818	33,818
240	420	13,893	33,893
250	420	12,655	32,655
260	420	11,258	31,258
270	420	8,996	28,996
280	420	7,378	27,378
290	420	5,869	25,869
300	420	4,843	24,843
310	420	4,035	24,035
320	420	3,398	23,398
330	420	2,881	22,881
340	420	2,456	22,456
350	420	2,116	22,116

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
110	150	0,562	20,562
120	150	0,615	20,615
130	150	0,673	20,673
140	150	0,733	20,733
150	150	0,794	20,794
160	150	0,861	20,861
170	150	0,929	20,929
180	150	0,995	20,995
190	150	1,052	21,052
200	150	0,985	20,985
210	150	1,022	21,022
220	150	1,045	21,045
230	150	1,053	21,053
240	150	1,049	21,049
250	150	1,030	21,030
260	150	0,998	20,998
270	150	1,889	21,889
280	150	1,815	21,815
290	150	1,735	21,735
300	150	1,637	21,637
310	150	1,557	21,557
320	150	1,462	21,462
330	150	1,344	21,344
340	150	1,229	21,229
350	150	1,122	21,122
360	150	1,467	21,467
370	150	1,342	21,342
380	150	1,228	21,228
390	150	1,122	21,122
400	150	1,027	21,027
0	160	0,436	20,436
10	160	0,473	20,473
20	160	0,503	20,503
30	160	0,533	20,533
40	160	0,578	20,578
50	160	0,628	20,628
60	160	0,687	20,687
70	160	0,749	20,749
80	160	0,815	20,815
90	160	0,895	20,895
100	160	0,975	20,975
110	160	1,079	21,079
120	160	0,690	20,690
130	160	0,761	20,761
140	160	0,838	20,838
150	160	0,920	20,920
160	160	1,001	21,001
170	160	1,090	21,090
180	160	1,178	21,178
190	160	1,258	21,258
200	160	1,186	21,186
210	160	1,240	21,240
250	160	1,250	21,250
260	160	1,228	21,228
270	160	2,273	22,273
280	160	2,177	22,177
290	160	2,050	22,050
300	160	1,925	21,925
310	160	1,801	21,801
320	160	1,674	21,674
330	160	1,524	21,524
340	160	1,382	21,382
350	160	1,802	21,802
360	160	1,635	21,635
370	160	1,485	21,485
380	160	1,347	21,347
390	160	1,225	21,225
400	160	1,115	21,115
0	170	0,456	20,456
10	170	0,496	20,496
20	170	0,542	20,542
30	170	0,580	20,580
40	170	0,619	20,619
50	170	0,676	20,676
60	170	0,740	20,740
70	170	0,815	20,815
80	170	0,896	20,896
90	170	0,983	20,983
100	170	1,089	21,089

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
360	420	2,143	22,143
370	420	1,865	21,865
380	420	1,843	21,843
390	420	1,650	21,650
400	420	1,452	21,452
0	430	0,723	20,723
10	430	0,785	20,785
20	430	0,848	20,848
30	430	0,925	20,925
40	430	1,012	21,012
50	430	1,102	21,102
60	430	1,211	21,211
70	430	1,325	21,325
80	430	1,724	21,724
90	430	1,790	21,790
100	430	1,987	21,987
110	430	2,211	22,211
120	430	2,466	22,466
130	430	2,758	22,758
140	430	3,109	23,109
150	430	3,493	23,493
160	430	3,911	23,911
170	430	4,459	24,459
180	430	5,068	25,068
190	430	5,832	25,832
200	430	6,742	26,742
210	430	8,264	28,264
220	430	9,294	29,294
230	430	9,615	29,615
240	430	9,626	29,626
250	430	9,544	29,544
260	430	8,410	28,410
270	430	7,171	27,171
280	430	5,975	25,975
290	430	5,019	25,019
300	430	4,103	24,103
310	430	3,491	23,491
320	430	2,983	22,983
330	430	2,569	22,569
340	430	2,221	22,221
350	430	1,926	21,926
360	430	1,684	21,684
370	430	1,479	21,479
380	430	1,309	21,309
390	430	1,115	21,115
400	430	1,154	21,154
0	440	0,689	20,689
10	440	0,741	20,741
20	440	0,805	20,805
30	440	0,870	20,870
40	440	0,948	20,948
50	440	0,995	20,995
60	440	1,050	21,050
70	440	1,371	21,371
80	440	1,509	21,509
90	440	1,664	21,664
100	440	1,838	21,838
110	440	2,034	22,034
120	440	2,256	22,256
130	440	2,520	22,520
140	440	2,805	22,805
150	440	3,109	23,109
160	440	3,501	23,501
170	440	3,927	23,927
180	440	4,454	24,454
190	440	4,954	24,954
200	440	5,932	25,932
210	440	6,615	26,615
220	440	7,192	27,192
230	440	7,262	27,262
240	440	7,220	27,220
250	440	7,158	27,158
260	440	6,491	26,491
270	440	5,586	25,586
280	440	4,766	24,766
290	440	4,206	24,206
300	440	3,565	23,565
310	440	3,010	23,010
320	440	2,613	22,613

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
110	170	1,198	21,198
120	170	1,338	21,338
130	170	0,863	20,863
140	170	0,960	20,960
150	170	1,066	21,066
160	170	1,178	21,178
170	170	1,289	21,289
180	170	1,409	21,409
250	170	1,539	21,539
260	170	2,900	22,900
270	170	2,785	22,785
280	170	2,646	22,646
290	170	2,467	22,467
300	170	2,305	22,305
310	170	2,128	22,128
320	170	1,924	21,924
330	170	1,733	21,733
340	170	2,249	22,249
350	170	2,024	22,024
360	170	1,821	21,821
370	170	1,638	21,638
380	170	1,477	21,477
390	170	1,334	21,334
400	170	1,212	21,212
0	180	0,476	20,476
10	180	0,520	20,520
20	180	0,569	20,569
30	180	0,624	20,624
40	180	0,674	20,674
50	180	0,725	20,725
60	180	0,798	20,798
70	180	0,881	20,881
80	180	0,979	20,979
90	180	1,086	21,086
100	180	1,204	21,204
110	180	1,347	21,347
120	180	1,498	21,498
130	180	1,690	21,690
140	180	1,101	21,101
150	180	1,238	21,238
160	180	1,387	21,387
170	180	1,546	21,546
180	180	1,700	21,700
260	180	3,648	23,648
270	180	3,452	23,452
280	180	3,231	23,231
290	180	2,976	22,976
300	180	2,732	22,732
310	180	2,484	22,484
320	180	2,219	22,219
330	180	2,865	22,865
340	180	2,550	22,550
350	180	2,271	22,271
360	180	2,022	22,022
370	180	1,805	21,805
380	180	1,616	21,616
390	180	1,456	21,456
400	180	1,309	21,309
0	190	0,497	20,497
10	190	0,544	20,544
20	190	0,596	20,596
30	190	0,657	20,657
40	190	0,725	20,725
50	190	0,789	20,789
60	190	0,858	20,858
70	190	0,952	20,952
80	190	1,060	21,060
90	190	1,190	21,190
100	190	1,335	21,335
110	190	1,498	21,498
120	190	1,696	21,696
130	190	1,910	21,910
140	190	2,182	22,182
150	190	1,441	21,441
160	190	1,640	21,640
170	190	1,857	21,857
180	190	2,086	22,086
260	190	4,657	24,657
270	190	4,341	24,341

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
330	440	2,276	22,276
340	440	1,994	21,994
350	440	1,750	21,750
360	440	1,539	21,539
370	440	1,363	21,363
380	440	1,210	21,210
390	440	1,082	21,082
400	440	0,929	20,929
0	450	0,652	20,652
10	450	0,704	20,704
20	450	0,706	20,706
30	450	0,766	20,766
40	450	0,832	20,832
50	450	0,905	20,905
60	450	1,174	21,174
70	450	1,285	21,285
80	450	1,408	21,408
90	450	1,545	21,545
100	450	1,699	21,699
110	450	1,870	21,870
120	450	2,073	22,073
130	450	2,289	22,289
140	450	2,515	22,515
150	450	2,805	22,805
160	450	3,114	23,114
170	450	3,490	23,490
180	450	4,176	24,176
190	450	4,438	24,438
200	450	4,898	24,898
210	450	5,332	25,332
220	450	5,693	25,693
230	450	5,660	25,660
240	450	5,575	25,575
250	450	5,526	25,526
260	450	5,125	25,125
270	450	4,432	24,432
280	450	3,843	23,843
290	450	3,466	23,466
300	450	3,070	23,070
310	450	2,662	22,662
320	450	2,286	22,286
330	450	2,016	22,016
340	450	1,782	21,782
350	450	1,582	21,582
360	450	1,406	21,406
370	450	1,251	21,251
380	450	1,119	21,119
390	450	1,003	21,003
400	450	0,904	20,904
0	460	0,577	20,577
10	460	0,622	20,622
20	460	0,672	20,672
30	460	0,726	20,726
40	460	0,786	20,786
50	460	1,014	21,014
60	460	1,104	21,104
70	460	1,203	21,203
80	460	1,313	21,313
90	460	1,434	21,434
100	460	1,569	21,569
110	460	1,728	21,728
120	460	1,894	21,894
130	460	2,067	22,067
140	460	2,286	22,286
150	460	2,517	22,517
160	460	2,794	22,794
170	460	3,288	23,288
180	460	3,782	23,782
190	460	3,751	23,751
200	460	4,062	24,062
210	460	4,343	24,343
220	460	4,559	24,559
230	460	4,509	24,509
240	460	4,414	24,414
250	460	4,377	24,377
260	460	4,089	24,089
270	460	3,748	23,748
280	460	3,135	23,135
290	460	2,876	22,876

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
280	190	3,992	23,992
290	190	3,610	23,610
300	190	3,251	23,251
310	190	2,907	22,907
320	190	3,734	23,734
330	190	3,283	23,283
340	190	2,886	22,886
350	190	2,539	22,539
360	190	2,241	22,241
370	190	1,985	21,985
380	190	1,770	21,770
390	190	1,576	21,576
400	190	1,405	21,405
0	200	0,518	20,518
10	200	0,569	20,569
20	200	0,625	20,625
30	200	0,690	20,690
40	200	0,766	20,766
50	200	0,852	20,852
60	200	0,933	20,933
70	200	1,025	21,025
80	200	1,149	21,149
90	200	1,294	21,294
100	200	1,469	21,469
110	200	1,669	21,669
120	200	1,899	21,899
130	200	2,181	22,181
140	200	2,495	22,495
150	200	2,894	22,894
160	200	1,943	21,943
170	200	2,242	22,242
180	200	2,571	22,571
260	200	6,009	26,009
270	200	5,532	25,532
280	200	4,994	24,994
290	200	4,464	24,464
300	200	3,879	23,879
310	200	5,003	25,003
320	200	4,335	24,335
330	200	3,754	23,754
340	200	3,253	23,253
350	200	2,833	22,833
360	200	2,477	22,477
370	200	2,182	22,182
380	200	1,922	21,922
390	200	1,696	21,696
400	200	1,513	21,513
0	210	0,538	20,538
10	210	0,592	20,592
20	210	0,654	20,654
30	210	0,723	20,723
40	210	0,805	20,805
50	210	0,899	20,899
60	210	1,007	21,007
70	210	1,117	21,117
80	210	1,241	21,241
90	210	1,408	21,408
100	210	1,602	21,602
110	210	1,845	21,845
120	210	2,128	22,128
130	210	2,462	22,462
140	210	2,877	22,877
150	210	3,354	23,354
160	210	3,962	23,962
170	210	2,716	22,716
180	210	3,189	23,189
260	210	7,950	27,950
270	210	7,200	27,200
280	210	6,294	26,294
290	210	5,464	25,464
300	210	6,936	26,936
310	210	5,901	25,901
320	210	5,016	25,016
330	210	4,269	24,269
340	210	3,656	23,656
350	210	3,147	23,147
360	210	2,734	22,734
370	210	2,377	22,377
380	210	2,073	22,073

X m	Y m	Opad pyłu g/m ² /rok	Opad+tto g/m ² /rok
300	460	2,595	22,595
310	460	2,331	22,331
320	460	2,051	22,051
330	460	1,785	21,785
340	460	1,594	21,594
350	460	1,425	21,425
360	460	1,279	21,279
370	460	1,148	21,148
380	460	1,031	21,031
390	460	0,931	20,931
400	460	0,841	20,841
0	470	0,551	20,551
10	470	0,592	20,592
20	470	0,638	20,638
30	470	0,687	20,687
40	470	0,882	20,882
50	470	0,956	20,956
60	470	1,037	21,037
70	470	1,125	21,125
80	470	1,223	21,223
90	470	1,331	21,331
100	470	1,457	21,457
110	470	1,588	21,588
120	470	1,722	21,722
130	470	1,891	21,891
140	470	2,068	22,068
150	470	2,278	22,278
160	470	2,645	22,645
170	470	3,015	23,015
180	470	2,949	22,949
190	470	3,178	23,178
200	470	3,394	23,394
210	470	3,577	23,577
220	470	3,557	23,557
230	470	3,517	23,517
240	470	3,557	23,557
250	470	3,537	23,537
260	470	3,453	23,453
270	470	3,116	23,116
280	470	2,770	22,770
290	470	2,407	22,407
300	470	2,216	22,216
310	470	2,005	22,005
320	470	1,823	21,823
330	470	1,620	21,620
340	470	1,426	21,426
350	470	1,286	21,286
360	470	1,160	21,160
370	470	1,051	21,051
380	470	0,952	20,952
390	470	0,861	20,861
400	470	0,783	20,783
0	480	0,525	20,525
10	480	0,564	20,564
20	480	0,605	20,605
30	480	0,772	20,772
40	480	0,834	20,834
50	480	0,900	20,900
60	480	0,973	20,973
70	480	1,053	21,053
80	480	1,140	21,140
90	480	1,241	21,241
100	480	1,345	21,345
110	480	1,451	21,451
120	480	1,585	21,585
130	480	1,723	21,723
140	480	1,886	21,886
150	480	2,166	22,166
160	480	2,447	22,447
170	480	2,638	22,638
180	480	2,542	22,542
190	480	2,709	22,709
200	480	2,858	22,858
210	480	2,977	22,977
220	480	2,929	22,929
230	480	2,897	22,897
240	480	2,919	22,919
250	480	2,908	22,908
260	480	2,849	22,849

X m	Y m	Opad pyłu g/m ² /rok	Opad+tło g/m ² /rok
390	210	1,830	21,830
400	210	1,619	21,619
0	220	0,950	20,950
10	220	1,049	21,049
20	220	0,680	20,680
30	220	0,755	20,755
40	220	0,843	20,843
50	220	0,945	20,945
60	220	1,063	21,063
70	220	1,205	21,205
80	220	1,353	21,353
90	220	1,523	21,523
100	220	1,747	21,747
110	220	2,023	22,023
120	220	2,368	22,368
130	220	2,774	22,774
140	220	3,275	23,275
150	220	3,912	23,912
160	220	4,667	24,667
170	220	5,639	25,639
180	220	3,971	23,971
190	220	4,753	24,753
260	220	10,727	30,727
270	220	9,517	29,517
280	220	8,020	28,020
290	220	9,992	29,992
300	220	8,340	28,340
310	220	6,930	26,930
320	220	5,764	25,764
330	220	4,834	24,834
340	220	4,083	24,083
350	220	3,487	23,487
360	220	2,986	22,986
370	220	2,569	22,569
380	220	2,245	22,245
390	220	1,964	21,964
400	220	1,733	21,733
0	230	0,984	20,984
10	230	1,081	21,081
20	230	1,202	21,202
30	230	1,340	21,340
40	230	1,503	21,503
50	230	1,694	21,694
60	230	1,116	21,116
70	230	1,271	21,271
80	230	1,456	21,456
90	230	1,656	21,656
100	230	1,889	21,889
110	230	2,207	22,207
120	230	2,602	22,602
130	230	3,105	23,105
140	230	3,721	23,721
150	230	4,506	24,506
160	230	5,528	25,528
170	230	6,766	26,766
180	230	8,406	28,406
190	230	6,125	26,125
270	230	12,712	32,712
280	230	15,270	35,270
290	230	12,307	32,307
300	230	9,961	29,961
310	230	8,053	28,053
320	230	6,578	26,578
330	230	5,428	25,428
340	230	4,553	24,553
350	230	3,827	23,827
360	230	3,239	23,239
370	230	2,783	22,783
380	230	2,410	22,410
390	230	2,101	22,101
400	230	1,869	21,869
0	240	1,016	21,016
10	240	1,127	21,127
20	240	1,245	21,245
30	240	1,393	21,393
40	240	1,564	21,564
50	240	1,755	21,755
60	240	1,995	21,995
70	240	2,281	22,281

X m	Y m	Opad pyłu g/m ² /rok	Opad+tło g/m ² /rok
270	480	2,650	22,650
280	480	2,323	22,323
290	480	2,032	22,032
300	480	1,892	21,892
310	480	1,733	21,733
320	480	1,592	21,592
330	480	1,458	21,458
340	480	1,306	21,306
350	480	1,160	21,160
360	480	1,055	21,055
370	480	0,959	20,959
380	480	0,876	20,876
390	480	0,798	20,798
400	480	0,728	20,728
0	490	0,501	20,501
10	490	0,536	20,536
20	490	0,681	20,681
30	490	0,732	20,732
40	490	0,788	20,788
50	490	0,848	20,848
60	490	0,913	20,913
70	490	0,985	20,985
80	490	1,067	21,067
90	490	1,152	21,152
100	490	1,237	21,237
110	490	1,344	21,344
120	490	1,453	21,453
130	490	1,582	21,582
140	490	1,801	21,801
150	490	2,019	22,019
160	490	2,165	22,165
170	490	2,316	22,316
180	490	2,201	22,201
190	490	2,322	22,322
200	490	2,436	22,436
210	490	2,502	22,502
220	490	2,461	22,461
230	490	2,419	22,419
240	490	2,434	22,434
250	490	2,426	22,426
260	490	2,384	22,384
270	490	2,231	22,231
280	490	1,970	21,970
290	490	1,731	21,731
300	490	1,626	21,626
310	490	1,506	21,506
320	490	1,394	21,394
330	490	1,288	21,288
340	490	1,187	21,187
350	490	1,072	21,072
360	490	0,959	20,959
370	490	0,878	20,878
380	490	0,804	20,804
390	490	0,738	20,738
400	490	0,677	20,677
0	500	0,477	20,477
10	500	0,604	20,604
20	500	0,647	20,647
30	500	0,693	20,693
40	500	0,743	20,743
50	500	0,798	20,798
60	500	0,857	20,857
70	500	0,926	20,926
80	500	0,994	20,994
90	500	1,064	21,064
100	500	1,151	21,151
110	500	1,239	21,239
120	500	1,342	21,342
130	500	1,517	21,517
140	500	1,689	21,689
150	500	1,804	21,804
160	500	1,923	21,923
170	500	2,038	22,038
180	500	1,921	21,921
190	500	2,009	22,009
200	500	2,083	22,083
210	500	2,042	22,042
220	500	2,088	22,088
230	500	2,045	22,045

X m	Y m	Opad pyłu g/m ² /rok	Opad+tłó g/m ² /rok
80	240	2,628	22,628
90	240	1,778	21,778
100	240	2,048	22,048
110	240	2,382	22,382
120	240	2,835	22,835
130	240	3,413	23,413
140	240	4,163	24,163
150	240	5,139	25,139
160	240	6,416	26,416
170	240	8,117	28,117
180	240	10,322	30,322
190	240	13,236	33,236
270	240	25,644	45,644
280	240	19,571	39,571
290	240	15,002	35,002
300	240	11,788	31,788
310	240	9,302	29,302

X m	Y m	Opad pyłu g/m ² /rok	Opad+tłó g/m ² /rok
240	500	2,056	22,056
250	500	2,049	22,049
260	500	2,018	22,018
270	500	1,898	21,898
280	500	1,768	21,768
290	500	1,612	21,612
300	500	1,407	21,407
310	500	1,318	21,318
320	500	1,226	21,226
330	500	1,142	21,142
340	500	1,060	21,060
350	500	0,983	20,983
360	500	0,892	20,892
370	500	0,804	20,804
380	500	0,740	20,740
390	500	0,681	20,681
400	500	0,629	20,629